

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
ANIMALS COMMUNICATE	1996	81.1(1.6)	81.4(2.1)	80.7(1.8)	84.7(1.8)	67.2(3.8)	79.8(2.7)
	1994	84.3(1.3)	85.4(1.6)	83.2(1.5)	87.5(1.3)	74.3(2.3)	75.3(4.8)
	1992	82.3(1.3)	83.1(1.8)	81.5(1.4)	86.5(1.4)	68.4(2.4)	70.8(3.4)
	1990	83.4(1.1)	83.7(1.5)	83.2(1.5)	87.9(1.1)	67.4(3.4)	73.3(4.5)
	1986	77.8(1.7)	78.7(1.7)	76.9(2.1)	81.8(1.9)	61.4(3.1)	66.5(3.7)
	1977	73.5(1.4)	74.2(1.7)	72.8(1.8)	78.0(1.5)	49.3(2.8)	68.4(4.7)
WATER EVAPORATION: PUT IN SUN	1996	44.3(1.4)	46.5(1.9)	42.3(2.0)	44.8(1.9)	43.0(3.6)	39.9(4.7)
	1994	44.8(1.5)	46.3(2.0)	43.3(2.1)	46.7(1.9)	40.7(2.2)	34.4(6.0)
	1992	46.4(1.3)	49.3(1.7)	43.8(1.7)	47.6(1.7)	42.2(2.3)	41.8(3.6)
	1990	45.6(1.2)	48.6(1.6)	42.7(1.9)	46.3(1.3)	40.3(3.5)	45.6(4.9)
	1986	42.4(1.4)	44.6(1.7)	40.4(2.2)	43.6(1.7)	37.0(3.0)	40.5(6.7)
	1977	53.7(1.5)	54.3(1.7)	53.1(2.1)	56.3(1.7)	40.7(2.5)	48.0(3.9)
WATER EVAPORATION: COVER JAR	1996	42.0(1.7)	45.7(2.1)	38.4(2.0)	42.9(2.1)	39.4(3.5)	38.5(3.4)
	1994	43.6(1.4)	45.3(1.8)	42.0(1.6)	46.8(1.6)	34.0(2.5)	33.2(3.3)
	1992	41.5(1.2)	45.0(1.5)	38.3(1.7)	42.9(1.6)	36.2(2.0)	34.4(3.8)
	1990	43.3(1.2)	45.2(1.8)	41.4(2.1)	44.9(1.3)	38.6(2.6)	33.5(4.1)
	1986	40.7(1.4)	42.0(2.0)	39.4(1.7)	41.9(1.7)	36.6(3.3)	34.5(4.8)
	1977	49.9(1.4)	52.3(1.8)	47.6(1.5)	51.7(1.5)	41.1(2.5)	48.8(3.6)
FINDING CAUSE OF A SORE THROAT	1996	67.7(2.2)	64.9(2.9)	70.4(2.3)	69.8(2.8)	61.8(4.1)	65.0(3.4)
	1994	71.9(1.5)	68.8(1.8)	74.7(1.8)	73.2(1.9)	64.6(3.1)	68.3(3.1)
	1992	68.6(1.3)	64.8(1.7)	72.1(1.7)	70.1(1.5)	64.2(2.4)	63.6(6.4)
	1990	70.8(1.3)	66.1(2.0)	75.3(1.5)	73.4(1.4)	63.6(4.2)	66.4(3.6)
	1986	69.0(1.4)	64.3(1.9)	73.4(1.9)	71.9(1.4)	58.5(2.4)	59.6(6.6)
	1982	64.1(1.3)	61.2(1.6)	67.1(2.0)	66.2(1.6)	59.0(2.7)	50.0(3.1)
	1977	53.9(1.3)	52.6(2.1)	55.2(1.8)	55.1(1.5)	47.1(2.2)	53.6(3.2)
PREDATOR-PREY: DEER/MT. LIONS	1996	66.6(1.7)	66.7(2.1)	66.4(1.8)	68.4(2.1)	58.6(3.2)	63.7(3.1)
	1994	69.4(1.8)	70.7(2.1)	68.1(2.2)	73.3(2.1)	59.5(2.5)	56.8(5.1)
	1992	67.3(1.4)	70.2(1.9)	64.7(1.7)	70.1(1.5)	56.6(3.1)	56.8(4.4)
	1990	69.4(1.1)	70.2(1.6)	68.8(1.6)	73.2(1.1)	54.6(2.8)	61.5(4.1)
	1986	62.3(1.4)	62.3(2.1)	62.4(2.3)	66.4(1.8)	47.9(2.8)	47.5(4.2)
	1977	65.4(1.6)	66.5(2.1)	64.3(2.1)	69.4(1.3)	42.5(5.2)	63.1(6.5)
SEE A DOCTOR? HURT ARM	1996	86.5(1.4)	84.2(1.9)	88.6(1.3)	89.0(1.6)	77.8(3.1)	84.6(2.6)
	1994	88.2(1.0)	86.4(1.6)	89.8(1.0)	90.3(1.1)	81.8(2.3)	81.1(4.0)
	1992	88.1(1.0)	86.3(1.3)	89.7(1.1)	91.2(1.2)	78.1(2.1)	78.1(3.7)
	1990	88.1(1.0)	86.0(1.4)	90.0(1.3)	91.5(1.1)	75.7(3.1)	80.2(3.4)
	1986	86.7(1.1)	85.1(1.3)	88.2(1.3)	89.9(1.2)	75.9(2.8)	76.3(3.4)
	1977	90.9(0.8)	89.2(1.0)	92.7(1.0)	92.3(0.7)	86.5(2.2)	81.2(3.3)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
SEE A DOCTOR? EXERCISE	1996	82.1(1.6)	80.1(2.3)	84.0(1.3)	85.6(2.0)	72.6(3.1)	71.6(2.4)
	1994	81.5(1.6)	80.7(1.6)	82.3(2.2)	85.9(1.7)	68.9(2.4)	61.4(4.6)
	1992	80.8(1.2)	81.3(1.8)	80.4(1.3)	85.3(1.3)	65.1(2.7)	70.1(3.7)
	1990	82.7(1.2)	80.0(1.7)	85.3(1.3)	87.2(1.2)	65.2(3.1)	74.6(5.6)
	1986	79.6(1.2)	78.6(1.5)	80.6(1.4)	85.2(1.3)	55.5(2.6)	68.9(6.2)
	1977	76.0(1.1)	75.1(1.6)	76.9(1.4)	80.5(1.1)	57.3(3.2)	62.5(5.0)
SEE A DOCTOR? HEADACHE	1996	87.3(1.2)	83.6(1.6)	90.8(1.1)	87.9(1.3)	85.1(2.3)	86.6(2.2)
	1994	89.8(0.7)	87.7(1.3)	91.6(0.9)	91.0(0.8)	85.8(1.5)	85.4(2.5)
	1992	87.3(1.0)	85.1(1.3)	89.3(1.2)	88.4(1.2)	84.6(2.1)	83.9(4.0)
	1990	89.0(0.6)	87.1(1.1)	90.7(1.1)	89.7(0.7)	87.8(1.8)	85.2(3.6)
	1986	89.1(0.8)	88.0(1.2)	90.2(0.9)	89.9(0.8)	87.1(3.1)	85.0(1.5)
	1977	90.6(0.6)	90.4(1.0)	90.7(0.9)	91.3(0.6)	86.8(1.3)	87.4(2.8)
SEE A DOCTOR? STOMACHACHE	1996	77.3(1.9)	76.0(2.5)	78.6(2.0)	79.6(2.5)	68.7(3.0)	73.4(3.8)
	1994	79.0(1.5)	77.3(1.8)	80.6(1.8)	84.3(1.5)	63.5(2.6)	60.9(4.8)
	1992	77.7(1.4)	77.7(1.8)	77.6(1.5)	81.8(1.4)	63.6(3.6)	63.6(4.2)
	1990	77.3(1.0)	75.5(1.6)	79.0(1.4)	82.9(1.0)	58.2(2.9)	68.0(5.3)
	1986	75.6(1.3)	74.0(1.6)	77.2(1.8)	79.6(1.6)	59.6(3.1)	63.9(5.9)
	1977	69.2(1.5)	67.8(1.8)	70.6(1.9)	73.8(1.4)	46.8(4.0)	60.2(5.1)
SEE A DOCTOR? PAIN IN SIDE	1996	75.6(1.4)	73.6(2.4)	77.7(1.4)	77.3(1.7)	70.2(2.5)	73.5(3.4)
	1994	79.4(0.9)	77.0(1.4)	81.9(1.0)	82.0(0.8)	74.4(2.8)	62.6(3.8)
	1992	77.4(1.0)	74.2(1.3)	80.2(1.4)	79.9(1.0)	69.2(2.8)	71.3(4.2)
	1990	80.1(1.1)	76.9(1.5)	83.2(1.4)	82.4(1.1)	72.4(4.0)	75.0(3.7)
	1986	77.5(1.3)	74.5(2.1)	80.4(1.3)	80.6(1.6)	66.7(2.8)	68.6(2.3)
	1977	80.4(1.1)	78.7(1.6)	82.0(1.4)	80.8(1.1)	78.1(2.8)	76.6(4.5)
BALLOON SHAPE AND VOLUME	1996	56.7(1.8)	57.9(2.5)	55.5(1.9)	60.6(2.0)	43.6(3.2)	50.9(4.3)
	1994	60.1(1.6)	60.9(1.6)	59.4(2.1)	63.1(1.8)	49.9(4.0)	54.8(4.8)
	1992	60.8(1.9)	61.8(2.5)	59.8(1.9)	65.3(2.0)	45.3(2.9)	48.9(5.2)
	1990	58.2(1.4)	58.8(1.9)	57.7(1.8)	62.3(1.5)	44.1(3.5)	40.8(5.1)
	1986	57.3(1.2)	59.4(1.9)	55.3(1.7)	60.2(1.5)	46.7(3.6)	46.3(5.9)
	1977	58.5(1.4)	58.7(2.0)	58.2(1.5)	63.7(1.3)	30.7(2.8)	49.4(4.7)
DETERMINING THE AGE OF A TREE	1996	62.4(1.8)	64.6(2.3)	60.4(2.0)	68.1(2.3)	48.4(2.6)	44.6(4.3)
	1994	65.4(2.2)	64.4(2.5)	66.4(2.3)	72.3(2.2)	46.1(3.9)	36.7(5.0)
	1992	60.0(1.6)	61.4(1.8)	58.7(1.8)	67.9(1.8)	31.1(3.4)	37.3(5.8)
	1990	64.0(1.9)	66.2(1.9)	62.0(2.5)	71.0(1.9)	42.2(4.8)	40.6(4.2)
	1986	55.7(1.8)	58.2(2.3)	53.3(2.0)	62.1(1.9)	34.8(3.3)	32.7(3.8)
	1977	61.6(1.9)	64.6(2.0)	58.6(2.1)	68.1(1.7)	34.1(3.0)	37.2(5.0)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
GARDEN LOSES NUTRIENTS	1996	51.6(2.1)	51.6(2.6)	51.6(2.4)	57.6(2.3)	35.0(2.4)	39.7(4.0)
	1994	52.7(1.7)	51.9(2.3)	53.3(1.8)	60.2(1.6)	31.7(3.3)	31.1(4.2)
	1992	51.7(1.4)	52.0(1.8)	51.3(1.8)	58.4(1.7)	28.8(2.0)	30.1(3.6)
	1990	55.5(1.5)	54.7(1.9)	56.2(2.3)	63.4(1.7)	31.2(3.5)	33.1(4.3)
	1986	54.3(1.3)	56.2(1.9)	52.5(1.7)	61.3(1.4)	30.5(3.0)	27.9(3.7)
	1982	54.3(1.6)	55.1(2.2)	53.5(2.0)	59.6(1.6)	32.6(1.9)	34.0(3.3)
	1977	56.3(1.7)	57.4(1.9)	55.2(2.4)	62.9(1.5)	28.5(3.8)	31.4(3.9)
HOW TO CARE FOR A BLEEDING CUT	1996	51.5(0.9)	50.9(1.3)	52.1(1.8)	52.8(1.4)	49.8(2.7)	44.1(3.4)
	1994	53.4(1.5)	56.9(2.0)	50.1(1.9)	55.8(1.9)	46.1(3.6)	45.6(5.4)
	1992	51.5(1.3)	51.7(1.9)	51.3(1.5)	54.0(1.4)	43.9(3.0)	41.2(3.3)
	1990	48.2(1.4)	51.5(2.1)	45.1(1.8)	49.5(1.6)	40.9(3.5)	51.3(4.2)
	1986	39.9(1.4)	36.7(1.6)	42.9(1.8)	41.5(1.5)	35.3(3.3)	32.5(4.5)
	1982	46.2(1.8)	46.2(2.3)	46.1(2.0)	47.8(2.1)	38.7(2.3)	43.5(5.2)
	1977	34.9(1.8)	38.3(2.3)	31.3(2.0)	35.2(2.0)	31.0(4.3)	41.3(5.1)
SELECTING A BALANCED DIET	1996	47.4(2.1)	44.5(2.3)	50.2(2.2)	50.9(2.6)	38.5(3.6)	33.9(3.8)
	1994	53.9(1.7)	50.7(1.9)	57.3(2.3)	58.9(1.7)	36.0(3.1)	43.0(5.4)
	1992	53.3(1.7)	49.0(2.0)	57.3(2.0)	57.2(2.0)	40.9(4.1)	39.1(5.8)
	1990	55.0(1.5)	51.1(2.0)	58.6(2.0)	58.6(1.7)	42.8(3.3)	42.3(3.4)
	1986	51.3(1.4)	46.6(2.3)	55.8(1.9)	54.3(1.6)	38.9(3.2)	44.6(6.1)
	1982	51.5(1.5)	47.6(2.1)	55.5(1.9)	54.2(1.7)	38.5(3.4)	45.3(5.1)
	1977	46.2(1.5)	44.6(1.8)	47.9(2.2)	50.2(1.6)	28.4(2.9)	29.8(4.5)
PARENTAL CARE BY MAMMALS	1996	53.4(1.7)	56.1(2.5)	50.9(1.6)	54.9(2.3)	46.2(4.1)	51.3(2.6)
	1994	53.1(1.1)	54.9(1.8)	51.4(1.7)	54.4(1.3)	48.6(3.3)	53.3(3.2)
	1992	51.4(1.6)	54.6(2.2)	48.4(1.9)	52.3(1.8)	47.1(3.2)	50.7(4.4)
	1990	48.3(1.5)	50.2(1.9)	46.5(1.9)	48.9(1.8)	43.3(3.0)	55.1(4.0)
	1986	43.1(1.4)	45.0(2.1)	41.2(1.7)	43.9(1.8)	38.2(3.7)	40.4(5.0)
	1977	42.9(1.4)	44.1(1.8)	41.6(2.0)	43.2(1.6)	44.0(2.8)	38.2(5.6)
PLANTS BEND TOWARD LIGHT	1996	29.5(1.4)	29.8(1.9)	29.1(1.8)	30.6(1.8)	24.6(3.4)	28.6(2.8)
	1994	31.3(1.5)	32.9(2.1)	30.0(1.8)	33.9(1.8)	23.0(3.3)	26.7(3.5)
	1992	28.3(0.9)	29.3(1.1)	27.3(1.3)	29.7(1.1)	23.2(2.1)	22.6(2.6)
	1990	27.5(1.3)	27.5(1.8)	27.6(1.7)	29.2(1.6)	20.3(2.7)	29.8(3.9)
	1986	25.6(1.5)	27.7(1.9)	23.7(1.9)	27.6(1.7)	17.2(2.4)	23.3(5.5)
	1977	29.8(1.3)	31.2(1.5)	28.4(1.7)	30.6(1.6)	27.9(3.1)	23.5(4.6)
LIFE CYCLE OF A BUTTERFLY	1996	56.0(1.8)	58.6(2.4)	53.5(2.1)	59.0(2.1)	47.6(3.6)	49.4(4.7)
	1994	55.5(1.7)	56.4(2.1)	54.8(2.1)	59.7(1.8)	43.1(3.5)	42.5(3.2)
	1992	52.8(1.5)	54.2(2.1)	51.5(1.7)	56.8(1.6)	39.0(2.7)	34.5(4.3)
	1990	49.6(1.4)	51.4(2.1)	47.9(1.9)	53.3(1.5)	36.2(2.6)	43.5(4.4)
	1986	43.5(1.4)	46.8(1.9)	40.3(1.8)	46.3(1.6)	33.3(3.2)	39.4(5.6)
	1977	30.4(1.6)	33.2(1.9)	27.6(1.7)	32.3(1.8)	21.7(2.0)	25.2(4.2)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
POSITION OF FULCRUM	1996	57.4(1.8)	60.9(2.6)	53.9(1.7)	61.0(2.3)	47.8(3.0)	51.4(3.2)
	1994	58.6(1.2)	62.6(1.6)	54.9(1.7)	59.9(1.3)	50.6(3.7)	65.6(3.9)
	1992	61.2(1.3)	67.4(1.6)	55.6(1.5)	63.4(1.4)	53.0(2.2)	57.2(3.6)
	1990	62.8(1.2)	67.3(1.6)	58.3(1.8)	63.5(1.3)	61.2(3.0)	61.2(4.7)
	1986	65.1(1.5)	68.9(1.7)	61.5(2.2)	65.6(1.7)	61.7(2.7)	68.3(3.8)
	1977	74.3(1.0)	78.6(1.2)	70.0(1.4)	74.9(1.1)	70.5(2.2)	74.7(3.8)
USE OF A TELESCOPE	1996	78.8(1.8)	81.4(2.2)	76.0(1.9)	82.1(1.7)	70.7(3.7)	70.4(5.2)
	1994	81.1(1.0)	82.9(1.8)	79.3(1.1)	84.3(1.0)	71.3(4.0)	64.0(5.6)
	1992	81.5(1.2)	86.6(1.2)	76.9(1.7)	85.2(1.3)	68.6(2.8)	67.5(3.9)
	1990	83.1(1.5)	85.5(1.7)	80.6(1.8)	86.6(1.0)	72.1(4.8)	72.7(4.2)
	1986	82.2(1.4)	85.8(1.4)	78.7(1.8)	85.4(1.6)	71.5(2.1)	73.2(3.5)
	1977	70.5(1.6)	74.2(2.0)	66.8(1.9)	74.6(1.7)	46.7(3.2)	65.5(4.2)
CYCLER'S MOVEMENT: BIKE	1996	10.0(1.3)	10.0(1.5)	9.9(1.8)	10.6(1.7)	9.2(2.4)	7.7(1.8)
	1994	7.8(0.6)	9.6(1.1)	6.0(0.8)	8.7(0.8)	2.4(0.9)	7.2(1.7)
	1992	10.3(0.7)	11.1(1.1)	9.6(0.9)	11.3(0.9)	6.4(1.2)	10.6(2.8)
	1990	8.1(0.9)	8.9(1.1)	7.3(1.0)	8.0(1.1)	7.3(2.0)	7.3(1.5)
	1986	9.0(0.8)	10.6(1.1)	7.4(1.1)	9.4(1.1)	7.3(2.4)	9.7(2.3)
	1977	7.4(0.6)	7.2(0.7)	7.5(0.8)	6.9(0.6)	7.5(1.5)	10.7(2.4)
CYCLER'S MOVEMENT: TREE	1996	62.1(1.6)	60.7(2.3)	63.6(2.1)	63.0(1.8)	56.0(3.9)	67.9(6.9)
	1994	62.4(1.2)	59.8(1.9)	65.1(1.6)	62.8(1.3)	63.7(3.4)	59.7(3.6)
	1992	61.7(1.3)	62.5(1.6)	61.0(1.6)	61.7(1.7)	61.0(2.3)	63.3(3.7)
	1990	61.9(1.3)	61.3(1.9)	62.6(1.9)	61.7(1.4)	60.8(3.4)	66.4(3.5)
	1986	62.2(1.3)	63.8(2.3)	60.5(1.8)	62.6(1.6)	60.5(3.0)	61.1(3.5)
	1977	64.7(1.2)	64.5(1.7)	65.0(1.5)	64.3(1.4)	61.4(2.9)	79.9(2.7)
CYCLER'S MOVEMENT: HOUSE	1996	59.4(1.4)	61.1(2.0)	57.8(1.7)	59.0(1.8)	61.2(2.5)	59.4(4.7)
	1994	60.4(1.6)	59.2(2.4)	61.6(2.0)	61.5(1.8)	57.6(4.0)	53.7(4.3)
	1992	60.1(1.1)	60.7(1.9)	59.6(1.3)	62.0(1.3)	54.6(2.7)	51.1(7.7)
	1990	58.8(1.3)	58.9(2.1)	58.6(1.6)	60.5(1.7)	50.3(3.6)	62.0(3.5)
	1986	60.7(1.1)	61.9(1.7)	59.6(1.6)	62.4(1.2)	55.4(3.5)	55.6(4.1)
	1977	63.0(1.2)	63.3(1.7)	62.6(1.6)	64.0(1.3)	59.0(4.0)	53.8(3.9)
CIRCUIT: POSITIVE	1996	71.6(1.8)	76.5(2.1)	66.4(2.3)	73.5(1.9)	64.0(4.3)	72.0(3.4)
	1994	69.5(1.6)	70.9(1.8)	68.3(2.0)	71.7(1.7)	58.8(5.0)	63.7(3.7)
	1992	67.9(1.4)	73.9(1.2)	62.5(1.9)	71.2(1.5)	55.8(3.2)	57.0(5.3)
	1990	66.7(1.6)	73.2(1.8)	60.1(2.2)	68.8(1.7)	56.2(3.6)	66.2(3.8)
	1986	64.5(1.5)	72.8(1.9)	56.4(1.9)	65.8(1.6)	58.2(2.7)	58.8(1.9)
	1977	66.2(1.3)	71.8(2.2)	60.6(1.6)	69.8(1.2)	50.5(2.7)	58.3(7.3)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
CIRCUIT: POSITIVE/NEGATIVE	1996	81.1(1.7)	86.2(1.9)	75.7(1.9)	82.0(2.0)	76.2(3.2)	79.2(2.1)
	1994	77.3(1.3)	79.7(1.7)	75.1(1.7)	78.4(1.4)	74.2(4.1)	68.9(4.5)
	1992	76.7(1.0)	81.9(1.1)	72.0(1.4)	78.7(1.2)	67.9(2.5)	77.0(2.8)
	1990	76.3(1.4)	80.6(1.8)	71.9(1.9)	77.7(1.6)	67.5(3.3)	77.1(3.1)
	1986	76.3(1.2)	80.1(1.5)	72.7(2.0)	77.6(1.2)	72.0(2.1)	69.7(3.4)
	1977	75.5(1.3)	78.5(1.8)	72.6(1.6)	77.8(1.4)	61.5(3.1)	76.2(5.3)
CIRCUIT: POSITIVE/POSITIVE	1996	74.1(1.6)	76.8(2.0)	71.4(2.0)	75.6(1.8)	68.6(3.4)	72.0(3.8)
	1994	68.9(1.3)	71.4(1.8)	66.5(1.8)	70.4(1.4)	61.8(3.6)	61.7(3.9)
	1992	67.0(1.5)	72.6(1.5)	61.9(2.0)	68.8(1.7)	59.8(2.7)	57.7(2.6)
	1990	67.1(1.5)	72.4(1.8)	61.8(1.8)	68.1(1.8)	61.4(2.6)	69.1(4.5)
	1986	67.9(1.3)	72.4(1.9)	63.6(1.9)	69.3(1.6)	61.1(3.0)	63.7(4.1)
	1977	63.3(1.4)	66.5(2.1)	60.2(1.8)	64.2(1.6)	59.0(3.0)	59.1(6.4)
CIRCUIT: CLOSED	1996	53.8(2.5)	60.8(2.6)	46.6(3.1)	56.1(2.8)	44.2(4.5)	54.1(4.4)
	1994	52.2(1.1)	60.1(1.5)	44.6(1.8)	53.9(1.3)	47.6(3.4)	45.6(4.9)
	1992	48.5(0.9)	55.9(1.5)	41.9(1.2)	50.0(1.1)	42.6(2.2)	42.9(3.4)
	1990	50.7(1.7)	56.8(2.0)	44.6(2.2)	52.5(1.9)	42.7(3.6)	47.5(2.9)
	1986	51.0(1.0)	59.6(1.3)	42.7(1.5)	51.2(1.4)	50.2(3.2)	51.6(4.2)
	1977	56.7(1.3)	64.5(1.9)	49.0(1.5)	58.1(1.3)	47.3(2.9)	54.6(5.4)
BALLOON: VOLUME & TEMPERATURE	1996	40.6(1.9)	43.6(2.7)	37.5(1.8)	44.9(2.1)	30.3(3.3)	29.1(4.6)
	1994	44.2(1.6)	46.8(2.0)	41.5(2.2)	46.9(1.9)	35.7(4.0)	33.5(3.7)
	1992	45.1(1.1)	47.6(1.8)	42.9(1.6)	48.0(1.4)	33.9(2.3)	40.3(3.3)
	1990	41.7(1.5)	44.8(2.2)	38.5(1.9)	44.1(1.7)	27.5(3.0)	42.9(4.4)
	1986	40.4(1.4)	47.6(1.9)	33.4(1.9)	41.9(1.7)	35.5(1.8)	34.2(4.9)
	1977	52.3(1.5)	55.0(2.0)	49.7(2.0)	55.4(1.7)	39.7(3.8)	44.3(4.5)
ELECTRICAL CONDUCTOR: RUBBER	1996	79.5(1.3)	81.2(1.6)	77.8(1.6)	82.8(1.6)	73.4(3.3)	67.8(4.9)
	1994	79.8(0.9)	81.6(1.1)	78.3(1.6)	81.6(0.8)	75.0(3.7)	73.5(2.9)
	1992	80.1(1.0)	82.0(1.2)	78.3(1.4)	83.3(1.0)	67.1(2.2)	75.7(3.3)
	1990	78.8(1.5)	79.8(1.9)	77.7(1.9)	81.3(1.6)	66.6(3.7)	72.2(5.5)
	1986	80.1(1.2)	81.5(1.3)	78.7(1.7)	83.3(1.4)	69.0(2.7)	70.0(3.0)
	1977	78.4(1.0)	79.7(1.1)	77.1(1.6)	81.8(1.0)	61.4(2.3)	68.8(4.2)
ELECTRICAL CONDUCTOR: COPPER	1996	82.3(1.1)	85.3(1.4)	79.2(1.8)	84.5(1.2)	77.0(3.9)	72.6(4.6)
	1994	83.6(1.0)	86.8(1.1)	80.5(1.4)	84.5(1.0)	80.2(4.3)	79.2(3.3)
	1992	83.6(0.8)	85.8(0.9)	81.6(1.1)	85.6(0.9)	76.2(1.8)	78.1(3.1)
	1990	81.8(1.1)	84.7(1.3)	78.9(1.5)	83.9(1.2)	71.8(4.0)	77.1(2.9)
	1986	83.7(1.1)	84.8(1.5)	82.6(1.3)	85.6(1.2)	78.7(2.8)	73.6(3.5)
	1977	80.7(1.0)	83.0(1.2)	78.3(1.5)	83.8(1.2)	66.3(2.9)	68.0(3.3)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
ELECTRICAL CONDUCTOR: FOIL	1996	50.0(1.5)	52.4(2.0)	47.6(2.5)	50.8(1.8)	47.6(2.6)	49.3(3.3)
	1994	48.6(1.7)	49.0(2.3)	48.3(2.0)	50.7(1.9)	38.6(3.6)	46.1(5.3)
	1992	46.1(1.2)	48.0(1.7)	44.4(1.4)	47.9(1.3)	39.8(3.5)	38.0(4.3)
	1990	38.1(1.7)	38.7(2.1)	37.5(2.2)	38.3(2.0)	33.7(3.4)	45.5(3.2)
	1986	37.0(1.6)	37.9(1.9)	36.0(2.0)	38.1(2.0)	32.7(3.1)	31.1(5.2)
	1977	36.0(1.4)	38.7(1.7)	33.3(1.8)	35.9(1.7)	38.7(2.5)	31.5(4.9)
ELECTRICAL CONDUCTOR: PENNY	1996	33.1(1.5)	34.6(2.2)	31.5(1.9)	35.4(1.8)	26.2(3.4)	28.1(4.8)
	1994	34.6(2.0)	34.2(2.6)	35.2(2.4)	36.7(2.5)	27.3(3.0)	27.1(3.4)
	1992	32.4(1.0)	33.5(1.4)	31.3(1.3)	33.6(1.2)	26.6(2.7)	27.0(3.6)
	1990	31.4(1.4)	32.5(1.9)	30.3(1.9)	33.7(1.7)	22.7(2.9)	31.3(4.0)
	1986	28.9(1.0)	30.8(1.5)	27.0(1.3)	31.2(1.1)	19.7(1.8)	22.2(4.6)
	1977	35.8(1.3)	38.8(1.6)	32.8(1.8)	36.0(1.4)	35.2(4.6)	30.8(4.1)
ELECTRICAL CONDUCTOR: CORK	1996	67.5(1.6)	73.3(2.2)	61.6(1.8)	74.2(1.6)	52.5(3.0)	44.8(4.9)
	1994	68.6(1.2)	74.0(1.5)	63.3(2.2)	74.7(1.4)	47.7(3.8)	54.2(4.1)
	1992	67.1(1.4)	72.4(1.4)	62.4(2.0)	72.7(1.4)	47.7(3.2)	53.7(4.1)
	1990	65.7(1.5)	72.2(1.7)	59.2(1.9)	72.1(1.5)	43.7(2.5)	48.2(4.6)
	1986	69.8(1.6)	75.4(2.0)	64.4(1.8)	74.2(1.7)	54.0(2.8)	56.6(4.3)
	1977	72.5(1.1)	77.5(1.6)	67.6(1.4)	77.8(1.1)	50.5(3.0)	56.5(4.9)
SUN IS A STAR	1996	69.0(2.1)	73.3(2.7)	64.5(2.1)	72.6(2.2)	58.4(4.9)	58.7(5.6)
	1994	68.5(1.7)	71.4(1.8)	65.8(2.0)	74.0(1.6)	51.5(3.5)	47.0(4.7)
	1992	69.7(1.6)	75.7(1.6)	64.3(1.9)	74.5(1.5)	53.4(3.9)	54.1(4.2)
	1990	64.3(1.7)	66.6(1.9)	62.0(2.1)	69.2(1.8)	41.3(3.6)	56.8(4.0)
	1986	61.6(1.7)	66.9(2.0)	56.5(2.2)	65.1(1.7)	47.5(4.3)	55.8(4.3)
	1982	52.3(1.7)	57.3(1.8)	47.3(2.5)	56.9(2.2)	33.5(3.3)	36.6(5.5)
	1977	50.2(2.0)	53.2(2.4)	47.2(2.4)	53.8(2.2)	33.8(2.5)	34.3(7.7)
OBJECTS THAT CONDUCT HEAT	1996	65.1(1.3)	63.3(1.6)	67.1(1.9)	69.2(1.7)	56.4(3.0)	52.6(2.8)
	1994	62.2(1.1)	62.2(1.6)	62.7(1.6)	65.3(1.4)	52.0(4.0)	50.6(4.8)
	1992	62.2(1.3)	63.0(1.5)	61.5(1.8)	64.6(1.4)	54.4(3.2)	52.1(4.8)
	1990	55.8(1.9)	57.0(2.5)	54.5(2.0)	58.0(2.2)	45.3(2.9)	54.2(3.6)
	1986	59.2(1.4)	60.5(1.9)	58.1(1.8)	62.7(1.6)	48.4(3.3)	46.8(4.7)
	1977	46.7(1.5)	48.4(2.0)	44.9(2.2)	49.8(1.5)	35.2(2.9)	31.9(4.1)
PLANTING TO AVOID EROSION	1996	37.1(1.6)	36.6(1.5)	37.7(2.3)	37.8(2.0)	37.3(3.4)	32.5(4.6)
	1994	35.9(1.5)	35.4(2.1)	36.0(1.8)	35.1(1.8)	40.7(4.1)	36.2(2.9)
	1992	37.5(1.6)	37.0(2.1)	37.9(1.9)	38.1(1.8)	32.1(2.8)	39.8(3.9)
	1990	36.4(1.9)	36.8(2.1)	36.0(2.8)	36.5(2.4)	31.5(3.5)	39.3(4.6)
	1986	36.6(1.7)	38.2(2.1)	35.0(2.1)	36.2(1.9)	35.4(2.9)	41.4(4.4)
	1982	38.0(1.2)	36.9(1.8)	39.3(1.9)	38.4(1.4)	37.4(2.9)	35.4(3.7)
	1977	40.0(1.4)	38.8(1.8)	41.1(1.9)	41.2(1.5)	35.3(2.3)	32.3(4.9)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
LENGTH OF SHADOWS AT NOON	1996	32.2(1.2)	36.1(1.8)	28.1(1.7)	35.1(1.4)	24.1(3.0)	24.1(2.2)
	1994	27.5(1.1)	32.2(1.8)	23.4(1.2)	29.2(1.4)	21.6(3.8)	19.5(3.4)
	1992	31.1(1.4)	38.5(1.8)	24.4(2.0)	33.0(1.3)	22.4(2.9)	28.3(6.8)
	1990	28.3(1.5)	32.2(2.0)	24.3(1.6)	30.6(1.7)	18.8(3.5)	27.5(2.8)
	1986	29.9(1.6)	35.8(2.5)	24.3(1.5)	32.0(1.8)	21.5(2.7)	28.7(5.6)
	1977	29.7(1.5)	34.1(1.9)	25.3(1.7)	31.5(1.7)	22.0(2.3)	19.8(2.5)
DETECT MAGNET THROUGH WATER	1996	45.6(1.6)	44.4(1.7)	46.9(2.8)	42.5(1.9)	54.0(3.8)	53.6(5.8)
	1994	47.0(1.3)	44.7(1.7)	49.3(1.9)	46.1(1.5)	54.1(4.7)	48.7(4.3)
	1992	44.9(1.2)	42.0(1.7)	47.6(1.6)	43.1(1.4)	52.7(2.5)	50.1(4.4)
	1990	49.3(1.3)	46.4(2.0)	52.3(1.5)	48.1(1.7)	54.7(2.3)	52.1(3.6)
	1986	49.1(1.5)	46.1(2.0)	51.9(2.1)	47.4(1.5)	56.1(3.8)	51.3(3.6)
	1977	51.3(1.3)	53.8(1.5)	48.9(2.1)	48.7(1.5)	62.7(2.8)	61.1(5.6)
DETECT MAGNET THROUGH PAPER	1996	73.1(1.4)	76.1(1.7)	70.0(1.9)	75.4(1.9)	68.3(3.4)	66.3(2.9)
	1994	76.0(1.3)	80.2(1.4)	72.4(2.0)	77.5(1.3)	71.9(2.4)	75.6(4.4)
	1992	80.6(1.1)	85.2(1.4)	76.5(1.3)	82.5(1.2)	72.9(3.2)	77.9(4.1)
	1990	78.7(1.3)	84.2(1.6)	73.1(1.8)	79.0(1.4)	76.4(3.0)	83.2(3.9)
	1986	76.1(1.2)	82.8(1.6)	69.7(1.3)	76.9(1.4)	67.1(2.5)	88.3(3.3)
	1977	82.2(0.9)	88.1(1.0)	76.3(1.6)	83.3(1.0)	77.6(2.4)	76.7(4.4)
DETECT MAGNET THROUGH GLASS	1996	52.0(1.6)	53.4(1.9)	50.5(2.6)	51.0(1.7)	57.2(4.0)	47.3(4.0)
	1994	51.2(1.6)	51.8(1.7)	50.8(2.3)	51.7(1.7)	54.7(3.9)	49.1(4.1)
	1992	49.7(1.3)	52.0(2.1)	47.7(1.4)	47.1(1.4)	60.3(2.9)	53.8(3.5)
	1990	52.1(1.5)	52.8(2.3)	51.3(1.5)	51.1(1.5)	54.3(4.8)	56.8(3.2)
	1986	45.9(1.6)	44.7(2.1)	47.1(2.0)	44.1(2.1)	54.1(2.0)	50.7(4.5)
	1977	38.4(1.0)	41.4(1.6)	35.4(1.4)	35.9(1.2)	52.7(1.9)	39.3(4.1)
SEPARATING SALT, SAND, & WATER	1996	34.9(1.9)	35.3(2.5)	34.6(2.1)	38.3(2.5)	26.1(3.0)	21.8(3.5)
	1994	34.4(1.1)	35.7(1.6)	33.1(1.7)	37.0(1.2)	23.2(4.5)	23.7(4.0)
	1992	35.3(1.0)	37.8(1.5)	33.1(1.2)	38.0(1.0)	23.8(2.9)	31.5(4.5)
	1990	34.4(1.5)	33.7(1.6)	35.2(2.3)	36.7(1.6)	20.6(3.2)	32.3(4.6)
	1986	33.8(1.3)	36.6(2.1)	31.2(1.5)	36.4(1.6)	23.4(2.5)	26.1(3.3)
	1977	29.7(1.0)	31.5(1.5)	27.9(1.5)	32.4(1.2)	19.7(1.7)	17.3(3.1)
ACCELERATION OF A MARBLE	1996	24.1(1.3)	30.9(2.4)	17.1(1.8)	27.6(1.5)	16.6(1.7)	15.2(4.5)
	1994	25.3(1.3)	34.2(1.6)	17.1(1.8)	28.7(1.3)	14.6(2.2)	17.2(3.0)
	1992	23.1(1.0)	32.6(1.6)	14.4(1.0)	24.5(1.1)	20.2(2.1)	11.4(2.0)
	1990	23.8(1.2)	33.0(1.8)	14.4(1.6)	26.1(1.5)	15.6(2.1)	15.8(2.6)
	1986	21.3(1.2)	29.5(1.5)	13.3(1.6)	22.0(1.3)	18.3(2.6)	19.9(4.9)
	1977	25.6(1.1)	34.2(1.6)	17.0(1.3)	26.3(1.3)	23.1(2.5)	22.9(3.8)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
USING A BALANCE	1996	23.1(1.5)	21.9(1.5)	24.3(2.1)	23.6(1.8)	19.6(2.6)	25.2(4.6)
	1994	24.5(1.2)	22.7(1.5)	26.2(1.9)	24.3(1.4)	28.7(3.8)	23.5(4.8)
	1992	23.0(1.0)	20.3(1.4)	25.4(1.2)	22.7(0.9)	22.6(2.5)	27.3(4.6)
	1990	20.7(1.1)	17.9(1.4)	23.6(1.7)	20.3(1.2)	21.0(2.9)	22.0(2.8)
	1986	20.7(0.9)	20.6(1.3)	20.9(1.2)	20.5(1.1)	21.6(2.5)	22.3(3.1)
	1977	17.4(1.0)	13.8(1.3)	21.1(1.4)	17.7(1.1)	17.5(2.4)	13.1(2.8)
READING A HISTOGRAM	1996	98.2(0.4)	97.6(0.6)	98.7(0.3)	98.4(0.4)	98.4(0.8)	96.3(1.8)
	1994	99.0(0.2)	99.4(0.3)	98.6(0.4)	99.3(0.2)	98.9(0.7)	97.1(1.5)
	1992	98.0(0.3)	97.8(0.4)	98.2(0.3)	98.1(0.3)	97.5(0.8)	98.0(0.6)
	1990	98.8(0.2)	98.9(0.4)	98.8(0.3)	98.9(0.2)	98.3(0.8)	99.0(0.6)
	1986	97.6(0.4)	97.6(0.5)	97.6(0.6)	97.9(0.4)	97.8(0.9)	94.9(3.5)
	1977	92.4(1.0)	92.8(0.9)	92.0(1.3)	93.7(1.0)	83.8(1.8)	93.2(2.0)
USING A GRID TO LOCATE OBJECTS	1996	97.4(0.4)	96.9(0.6)	97.8(0.5)	98.0(0.4)	95.3(1.5)	96.7(1.5)
	1994	97.6(0.4)	97.7(0.4)	97.5(0.6)	98.4(0.3)	95.0(1.6)	96.6(1.4)
	1992	97.4(0.3)	97.1(0.5)	97.7(0.4)	97.8(0.3)	95.9(0.9)	95.8(1.4)
	1990	97.8(0.4)	97.5(0.6)	98.1(0.4)	98.2(0.4)	96.4(1.4)	95.6(1.5)
	1986	96.3(0.5)	96.2(0.6)	96.4(0.7)	97.0(0.5)	95.6(1.0)	91.2(3.4)
	1977	90.6(1.1)	91.1(1.2)	90.1(1.5)	94.0(0.6)	74.9(4.5)	80.4(4.3)
WATER LEVEL IN U-TUBE	1996	89.4(0.8)	90.8(1.0)	88.0(1.3)	92.0(0.6)	77.7(2.7)	88.5(2.1)
	1994	88.1(1.0)	89.8(1.1)	86.8(1.4)	91.4(0.9)	76.4(1.9)	82.2(2.3)
	1992	89.7(0.7)	91.3(0.8)	88.1(1.0)	91.1(0.8)	84.1(2.1)	86.0(1.9)
	1990	88.3(0.8)	87.9(1.3)	88.6(1.0)	91.7(0.7)	75.8(2.5)	81.0(2.9)
	1986	90.3(0.9)	92.0(0.9)	88.4(1.4)	91.8(1.0)	83.2(1.8)	87.3(3.5)
	1977	87.8(1.1)	90.1(1.2)	85.3(1.5)	90.8(0.9)	71.0(4.0)	85.8(2.7)
WATER LEVEL IN UNEQUAL U-TUBE	1996	73.6(1.0)	76.3(1.3)	71.1(1.6)	76.7(0.9)	60.8(3.9)	71.8(2.9)
	1994	73.9(1.0)	73.9(1.5)	74.0(1.6)	76.6(1.2)	62.7(2.4)	67.2(3.9)
	1992	75.3(0.9)	76.3(1.3)	74.3(1.4)	77.1(1.1)	66.9(2.5)	72.4(2.0)
	1990	73.9(1.1)	75.7(1.1)	72.0(1.7)	77.1(1.0)	62.6(3.9)	69.4(2.8)
	1986	74.9(1.4)	77.7(1.5)	71.8(1.6)	77.9(1.5)	59.5(2.8)	73.4(3.4)
	1977	72.6(1.5)	75.1(1.6)	69.9(2.1)	76.9(1.4)	49.5(3.1)	66.2(4.3)
FLOATING AND SINKING BLOCKS	1996	77.0(1.2)	78.7(1.2)	75.5(1.8)	83.8(1.2)	55.2(3.5)	62.9(2.3)
	1994	76.3(1.5)	78.2(1.6)	74.6(1.9)	81.9(1.5)	59.1(3.9)	62.5(4.1)
	1992	78.5(1.1)	81.2(1.2)	75.8(1.6)	82.4(1.1)	64.5(2.3)	67.6(2.2)
	1990	77.6(1.2)	77.9(1.8)	77.3(1.4)	82.7(1.1)	60.5(3.8)	61.6(4.1)
	1986	76.8(1.2)	79.5(1.5)	73.8(1.7)	80.8(1.4)	61.0(2.7)	64.9(5.9)
	1977	68.8(1.6)	68.9(1.8)	68.8(2.2)	73.2(1.5)	47.6(4.4)	58.0(4.5)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
BALANCING A SEESAW	1996	60.6(1.9)	62.8(2.0)	58.5(2.1)	64.1(2.1)	49.9(3.9)	47.9(3.9)
	1994	59.9(1.9)	59.1(2.3)	61.0(2.2)	63.4(2.0)	48.9(3.9)	50.6(3.7)
	1992	62.9(1.1)	64.2(1.4)	61.6(1.6)	66.5(1.3)	54.3(3.4)	45.3(7.0)
	1990	65.3(1.4)	66.0(1.8)	64.6(1.8)	68.7(1.7)	53.3(3.8)	50.6(4.1)
	1986	58.9(1.3)	59.3(1.7)	58.4(1.9)	61.1(1.3)	48.5(3.4)	59.0(6.2)
	1977	58.5(1.5)	60.7(1.7)	56.0(2.0)	60.5(1.5)	46.5(3.4)	56.0(4.7)
DOG EXPERIMENT: ANY DOG LEARNS	1996	63.9(1.9)	62.8(2.3)	64.8(2.5)	68.5(2.2)	51.6(3.8)	53.6(5.5)
	1994	62.8(1.1)	59.6(1.5)	66.1(1.5)	67.9(1.0)	47.0(3.1)	52.2(5.5)
	1992	67.3(1.1)	65.1(1.6)	69.5(1.6)	70.2(1.2)	58.9(3.4)	52.6(2.8)
	1990	66.1(1.5)	64.0(1.7)	68.2(1.9)	70.4(1.4)	51.6(4.4)	50.7(3.9)
	1986	61.0(1.4)	58.4(1.5)	63.9(2.3)	65.3(1.7)	45.9(3.2)	49.4(3.8)
	1977	62.9(1.5)	62.2(1.7)	63.5(2.0)	67.0(1.5)	43.3(3.5)	52.3(5.1)
DOG EXPERIMENT: SOME DOGS LEARN	1996	89.7(0.8)	88.9(1.2)	90.4(1.1)	93.3(0.8)	77.1(2.1)	81.4(2.1)
	1994	89.8(1.0)	89.9(1.1)	89.9(1.3)	93.3(0.7)	77.6(3.6)	82.7(2.9)
	1992	90.4(0.7)	90.1(0.9)	90.7(1.1)	93.1(0.7)	82.4(3.4)	79.7(3.9)
	1990	90.4(0.9)	89.4(1.2)	91.3(1.1)	93.9(0.6)	79.4(2.8)	80.8(4.5)
	1986	89.0(1.0)	90.0(0.9)	87.9(1.5)	92.0(0.9)	82.2(2.5)	73.7(3.7)
	1977	89.7(1.0)	89.5(1.2)	89.9(1.1)	92.8(0.6)	79.2(2.5)	72.1(5.3)
DOG EXPERIMENT: TEACH ANY DOG	1996	62.7(1.6)	62.7(2.3)	62.8(1.8)	67.4(1.8)	49.9(3.9)	53.8(4.6)
	1994	61.4(1.2)	63.9(1.5)	58.9(1.8)	63.8(1.5)	57.8(4.4)	51.9(5.3)
	1992	63.1(1.3)	66.0(1.5)	60.0(2.1)	65.3(1.5)	59.0(3.5)	52.7(6.6)
	1990	63.1(1.5)	64.4(1.8)	61.7(1.8)	65.8(1.4)	59.3(3.8)	48.8(4.6)
	1986	62.9(1.5)	65.5(1.8)	60.1(2.4)	65.2(1.5)	59.3(3.5)	49.2(3.9)
	1977	60.5(1.6)	63.8(2.1)	57.4(2.0)	62.1(1.5)	54.4(3.0)	51.1(4.8)
RELATING SPEED OF CAR/TRAIN	1996	48.2(1.7)	55.0(2.2)	41.7(1.9)	55.1(2.1)	24.3(2.7)	35.9(3.6)
	1994	48.1(1.8)	52.2(2.4)	44.2(2.1)	53.7(2.1)	30.4(2.1)	28.0(2.6)
	1992	50.0(1.0)	57.6(1.5)	42.2(1.7)	55.0(1.2)	31.0(3.0)	40.5(4.5)
	1990	48.4(1.5)	53.1(2.1)	43.8(2.2)	54.5(1.5)	26.7(2.0)	29.9(4.4)
	1986	49.4(1.3)	57.2(2.0)	40.9(1.5)	53.5(1.5)	32.3(2.5)	38.7(4.0)
	1977	50.7(1.9)	55.1(2.4)	46.1(1.9)	54.5(1.9)	29.8(2.9)	41.1(6.5)
CLASSIFYING OBJECTS: SHAPE	1996	77.7(1.4)	73.9(1.7)	81.3(1.6)	83.1(1.4)	60.0(3.6)	64.9(3.4)
	1994	77.6(0.8)	75.6(1.3)	79.8(1.1)	82.8(1.0)	64.1(3.4)	57.4(3.4)
	1992	76.8(1.1)	74.9(1.1)	78.7(1.5)	80.1(1.2)	64.8(2.4)	66.0(3.2)
	1990	74.5(1.2)	71.7(1.6)	77.3(1.5)	78.2(1.4)	61.8(2.7)	64.8(3.1)
	1986	71.8(1.3)	69.8(1.6)	74.0(1.5)	75.5(1.5)	60.0(3.1)	57.1(2.6)
	1982	74.5(1.4)	71.8(2.0)	77.4(1.8)	76.7(1.6)	65.0(3.5)	65.9(4.6)
	1977	70.2(1.2)	70.1(1.6)	70.4(1.4)	73.6(1.4)	56.8(2.4)	55.3(3.7)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
CLASSIFYING OBJECTS: COLOR	1996	82.2(1.1)	79.2(1.8)	85.1(1.2)	86.3(1.3)	71.8(2.8)	70.0(3.4)
	1994	82.2(1.0)	79.4(1.3)	85.1(1.3)	87.0(1.1)	69.4(3.0)	69.5(4.9)
	1992	83.3(0.7)	81.5(1.0)	85.1(1.1)	85.9(0.8)	76.3(2.4)	70.9(2.8)
	1990	81.1(1.1)	79.9(1.3)	82.2(1.4)	83.0(1.4)	74.6(2.8)	73.4(3.9)
	1986	77.6(1.4)	76.6(1.5)	78.7(1.7)	80.2(1.3)	71.1(3.2)	62.7(7.8)
	1982	74.8(1.5)	71.7(2.1)	78.0(1.5)	77.5(1.6)	64.8(2.3)	62.9(4.5)
	1977	71.6(1.3)	71.7(1.5)	71.5(1.7)	74.6(1.2)	60.3(3.1)	57.6(5.7)
CLASSIFYING OBJECTS: SIZE	1996	75.2(1.1)	70.8(1.6)	79.4(1.2)	79.6(1.3)	60.7(3.0)	65.8(3.6)
	1994	76.7(1.1)	74.7(1.6)	78.7(1.4)	82.1(1.1)	63.5(3.7)	58.9(3.5)
	1992	75.6(0.9)	73.5(1.2)	77.7(1.2)	78.5(1.0)	63.9(2.7)	70.2(3.9)
	1990	75.6(1.2)	73.1(1.8)	78.2(1.5)	79.4(1.4)	63.7(2.8)	61.2(4.2)
	1986	71.1(1.2)	70.3(1.5)	71.9(1.7)	74.9(1.3)	59.4(3.5)	53.7(3.6)
	1982	69.0(1.5)	66.4(1.9)	71.6(2.6)	71.9(1.7)	55.9(2.1)	59.1(4.1)
	1977	66.8(1.3)	66.9(1.7)	66.8(1.7)	70.6(1.4)	53.7(2.5)	47.7(4.4)
MAGNETISM: COPPER	1996	48.8(1.2)	52.8(2.0)	45.0(1.1)	52.4(1.7)	39.1(3.6)	36.7(4.7)
	1994	48.5(1.2)	54.2(1.8)	42.6(1.7)	50.2(1.5)	41.1(3.7)	42.0(3.7)
	1992	51.0(1.4)	57.5(1.5)	44.4(2.0)	54.3(1.6)	38.1(3.8)	40.0(2.7)
	1990	51.0(1.3)	60.8(1.9)	41.5(2.0)	52.6(1.6)	46.1(3.8)	38.6(5.0)
	1986	54.8(1.5)	60.6(1.9)	48.4(2.1)	57.0(1.8)	44.2(3.8)	52.2(3.7)
	1977	46.5(1.6)	55.4(2.0)	37.7(2.0)	48.6(1.9)	37.2(2.8)	40.2(4.7)
MAGNETISM: COMPASS	1996	33.4(1.5)	37.2(1.9)	29.8(2.0)	34.0(1.8)	28.8(3.5)	31.7(3.1)
	1994	35.3(1.6)	41.1(2.5)	29.4(1.8)	36.4(2.0)	30.8(3.0)	28.6(3.0)
	1992	34.1(1.4)	39.9(2.0)	28.1(1.8)	34.0(1.6)	33.4(3.1)	33.1(5.5)
	1990	33.6(1.1)	40.8(1.8)	26.5(1.5)	33.9(1.2)	30.7(2.9)	29.4(2.5)
	1986	35.1(1.6)	40.6(2.2)	29.1(2.0)	35.8(2.0)	30.8(3.1)	36.0(3.4)
	1977	38.8(1.4)	49.1(1.9)	28.7(1.6)	40.0(1.5)	36.1(3.8)	29.6(4.3)
MAGNETISM: IRON	1996	77.9(1.4)	80.2(1.8)	75.7(1.4)	81.6(1.3)	68.2(3.6)	67.1(4.0)
	1994	75.4(1.5)	77.9(2.0)	72.8(2.0)	79.0(1.5)	66.3(2.7)	57.2(3.6)
	1992	78.8(1.0)	81.3(1.1)	76.2(1.3)	81.1(1.2)	73.4(2.3)	68.4(5.7)
	1990	78.0(1.5)	80.0(1.5)	76.0(1.8)	80.6(1.2)	70.1(5.0)	60.5(4.1)
	1986	78.4(0.9)	80.7(1.3)	75.8(1.1)	79.8(1.0)	78.1(2.2)	63.7(3.9)
	1977	73.6(1.1)	77.1(1.6)	70.1(1.5)	74.2(1.2)	71.3(3.0)	70.2(4.2)
MAGNETISM: FOIL	1996	66.7(1.3)	69.4(1.8)	64.1(1.9)	72.2(1.5)	53.2(2.5)	50.8(2.1)
	1994	66.8(1.3)	68.3(2.0)	65.2(2.0)	70.0(1.6)	57.5(4.5)	55.5(3.6)
	1992	67.1(1.3)	70.8(1.4)	63.4(1.7)	70.9(1.3)	57.5(2.3)	50.8(5.4)
	1990	69.7(1.2)	71.1(1.6)	68.3(1.9)	73.5(1.2)	55.7(3.1)	57.4(3.7)
	1986	71.6(1.2)	73.2(1.6)	69.8(1.6)	74.1(1.4)	63.7(2.6)	60.7(7.0)
	1977	67.1(1.3)	68.7(1.7)	65.6(1.7)	70.5(1.3)	54.1(2.7)	58.6(3.6)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9

ITEM DESCRIPTION	YEAR	NATION	MALE	FEMALE	WHITE	BLACK	HISPANIC
INTERPRET TABLE OF BOOKS READ	1996	65.0(1.6)	65.4(1.7)	64.6(2.3)	70.9(1.6)	52.2(3.0)	44.9(4.0)
	1994	66.2(1.6)	66.3(2.2)	66.2(1.9)	72.2(1.6)	48.5(2.4)	41.9(6.3)
	1992	64.1(1.4)	63.7(1.5)	64.5(1.8)	68.9(1.5)	46.9(3.0)	46.4(3.7)
	1990	63.6(1.4)	62.3(1.9)	64.8(2.0)	68.8(1.3)	47.7(3.2)	41.4(3.6)
	1986	61.3(1.5)	59.2(1.9)	63.6(2.1)	66.5(1.7)	44.1(3.2)	42.3(5.1)
	1982	57.1(1.6)	54.2(1.8)	60.0(2.1)	62.3(2.0)	36.3(2.2)	27.5(4.5)
	1977	60.2(1.9)	58.9(2.1)	61.5(2.3)	65.9(1.7)	35.3(4.0)	33.9(3.8)
SURVEY HEIGHT OF BOYS/GIRLS	1996	52.0(1.3)	56.2(2.1)	48.2(1.6)	54.3(1.6)	49.4(2.8)	43.2(3.5)
	1994	52.6(1.4)	53.5(1.9)	51.6(1.6)	54.1(1.7)	49.2(2.9)	44.4(4.8)
	1992	50.9(1.3)	54.9(1.7)	46.8(1.7)	51.4(1.6)	52.0(2.7)	45.5(3.5)
	1990	52.0(1.6)	54.5(1.9)	49.5(2.1)	52.8(1.4)	49.9(4.8)	47.2(4.1)
	1986	51.3(1.3)	52.8(1.8)	49.7(2.6)	52.7(1.5)	48.6(4.2)	42.0(6.1)
	1982	51.7(1.6)	54.8(2.0)	48.6(2.6)	53.0(1.9)	48.5(4.2)	44.2(3.0)
	1977	47.0(1.5)	48.8(1.8)	45.2(1.9)	48.6(1.7)	38.1(2.3)	44.7(2.7)
ADD HEAT TO DISSOLVE SUGAR	1996	38.3(1.9)	42.5(2.7)	34.3(2.0)	42.4(2.2)	30.6(3.8)	19.6(3.1)
	1994	37.9(1.4)	41.8(1.9)	34.1(1.7)	42.2(1.4)	23.0(2.8)	22.3(3.4)
	1992	36.3(1.1)	37.3(1.5)	35.4(1.7)	40.4(1.2)	21.0(2.0)	23.8(3.7)
	1990	39.7(1.3)	38.9(1.5)	40.6(2.1)	43.5(1.5)	26.9(2.9)	25.7(2.9)
	1986	42.7(1.3)	42.3(1.8)	43.1(1.9)	46.1(1.8)	28.7(3.2)	33.5(5.1)
	1977	38.4(1.5)	38.4(2.0)	38.4(1.6)	42.1(1.6)	20.8(3.0)	27.3(2.7)

(***) STANDARD ERROR ESTIMATE IS GREATER THAN 9.9